

**RESPONSE TO EX PARTE QUAYLE
SN 10/657,675
PAGE - 2 of 6 -**

IN THE CLAIMS:

1. (Previously Presented) A method for backing up a job that was interrupted during a backup process, comprising:

identifying the job that was interrupted during the backup process;
using the interrupted job to build a list of one or more volumes that still need to be backed up;
generating a catalog containing a partially backed up volume from the list of volumes that still need to be backed up;
retrieving an object from the one or more volumes stored in a client computer;
determining whether the object is listed in the catalog;
if the object is listed in the catalog, then determining whether the object is partially backed up or completely backed up; and
if the object is partially backed up or is not listed in the catalog, then writing the data contained in the object to one or more storage devices.

2. (Original) The method of claim 1, further comprising if the object is completely backed up, then avoiding writing the data contained in the object to the storage devices.

3. (Original) The method of claim 1, wherein the catalog is a disk-based catalog.

4. (Original) The method of claim 1, wherein the object is a container object.

5. (Original) The method of claim 1, wherein the partially backed up volume is the first volume listed on the volumes that still need to be backed up.

6. (Previously Presented) The method of claim 1, wherein using the interrupted job to build the list of volumes comprises:

building the list of volumes associated with the job that was interrupted during the backup process; and

RESPONSE TO EX PARTE QUAYLE
SN 10/657,675
PAGE - 3 of 6 -

removing from the list of volumes associated with the interrupted job a list of volumes that had been completely backed up.

7. (Original) The method of claim 1, wherein generating the catalog comprises storing one or more objects listed in the one or more persistent records of one or more temporary catalog files to the catalog.

8. (Original) The method of claim 1, wherein determining whether the object is partially backed up comprises rendering the object as partially backed up if the object is the last object listed in the catalog.

9. (Original) The method of claim 1, wherein generating the catalog comprises identifying the partially backed up volume using one or more persistent records of one or more temporary catalog files and the amount of data that have been written to the storage devices.

10. Cancelled

11. Cancelled

12. Cancelled

13. Cancelled

14. Cancelled

15. Cancelled

16. Cancelled

17. Cancelled

18. Cancelled

19. (Previously Presented) A computer network for backing up a job that was interrupted during a backup process, comprising:

means for identifying the job that was interrupted during the backup process;

RESPONSE TO EX PARTE QUAYLE
SN 10/657,675
PAGE - 4 of 6 -

means for using the interrupted job to build a list of one or more volumes that still need to be backed up;

means for generating a catalog containing a partially backed up volume from the list of volumes that still need to be backed up;

means for retrieving an object from the one or more volumes stored in a client computer;

means for determining whether the object is listed in the catalog;

means for determining whether the object is partially backed up if the object is listed in the catalog; and

means for writing the data contained in the object to one or more storage devices if the object is partially backed up or is not listed in the catalog.

20. (Original) The computer network of claim 19, wherein the partially backed up volume is the first volume listed on the volumes that still need to be backed up.

21. (Original) The method of claim 19, wherein the catalog is a disk-based catalog.

22. (Original) The method of claim 19, wherein the object is a container object.

23. Cancelled

24. (Original) The computer network of claim 19, wherein the means for generating the catalog comprises means for storing one or more objects listed in the one or more persistent records of one or more temporary catalog files to the catalog.

25. (Original) The computer network of claim 19, wherein the means for determining whether the object is partially backed up comprises means for determining that the object is partially backed up if the object is the last object listed in the catalog.

**RESPONSE TO EX PARTE QUAYLE
SN 10/657,675
PAGE - 5 of 6 -**

26. (Original) The computer network of claim 19, wherein the means for generating the catalog comprises means for identifying the partially backed up volume using one or more persistent records of one or more temporary catalog files and the amount of data that have been written to the storage devices.